Physics: Section-A (Q. No. 1 to 35)

- The ratio of radius of gyration of a solid sphere of mass M and radius R about its own axis to the radius of gyration of the thin hollow sphere of same mass and radius about its axis is:
 - (1) 5:3
- (2) 2:5
- (3) 5:2
- (4) 3:5
- The work functions of Caesium (Cs),
 Potassium (K) and Sodium (Na) are 2.14 eV,
 2.30 eV and 2.75 eV respectively. If incident
 electromagnetic radiation has an incident
 energy of 2.20 eV, which of these
 photosensitive surfaces may emit
 photoelectrons?
 - (1) Both Na and K
 - (2) K only
 - (3) Na only
 - (4) Cs only
- The amount of energy required to form a soap bubble of radius 2 cm from a soap solution is nearly: (surface tension of soap solution = 0.03 N m⁻¹)
 - (1) 5.06×10^{-4} J
- (2) 3.01×10^{-4} J
- (3) 50.1×10^{-4} J
- (4) $30.16 \times 10^{-4} \text{J}$
- 4 Resistance of a carbon resistor determined from colour codes is $(22000 \pm 5\%)\Omega$. The colour of third band must be:
 - (1) Green
- (2) Orange
- (3) Yellow
- (4) Red
- In a series LCR circuit, the inductance L is 10 mH, capacitance C is 1 μ F and resistance R is 100 Ω . The frequency at which resonance occurs is:
 - (1) 15.9 kHz
- (2) 1.59 rad/s
- (3) 1.59 kHz
- (4) 15.9 rad/s

F1_English]

2

- In a plane electromagnetic wave travelling in free space, the electric field component oscillates sinusoidally at a frequency of 2.0×10^{10} Hz and amplitude 48 Vm^{-1} . Then the amplitude of oscillating magnetic field is: (Speed of light in free space = $3 \times 10^8 \text{ m s}^{-1}$)
 - (1) 1.6×10^{-8} T
- (2) $1.6 \times 10^{-7} \text{ T}$
- (3) 1.6×10^{-6} T
- (4) 1.6×10^{-9} T
- 7 Given below are two statements:


Statement I: Photovoltaic devices can convert optical radiation into electricity.

Statement II: Zener diode is designed to operate under reverse bias in breakdown region.

In the light of the above statements, choose the *most appropriate* answer from the options given below:

- (1) Both Statement I and Statement II are incorrect.
- (2) Statement I is correct but Statement II is incorrect.
- (3) Statement I is incorrect but Statement II is correct.
- (4) Both Statement I and Statement II are correct.
- The errors in the measurement which arise due to unpredictable fluctuations in temperature and voltage supply are:
 - (1) Personal errors
 - (2) Least count errors
 - (3) Random errors
 - (4) Instrumental errors
- 9 If $\oint \vec{E} \cdot \vec{dS} = 0$ over a surface, then:
 - (1) the magnitude of electric field on the surface is constant.
 - (2) all the charges must necessarily be inside the surface.
 - (3) the electric field inside the surface is necessarily uniform.
 - (4) the number of flux lines entering the surface must be equal to the number of flux lines leaving it.

If the galvanometer G does not show any deflection in the circuit shown, the value of 10 R is given by:



- (1) 50Ω
- 100Ω (2)
- (3) 400Ω
- (4) 200 Ω
- An ac source is connected to a capacitor C. Due to decrease in its operating frequency: 11
 - (1) displacement current increases.
 - (2) displacement current decreases.
 - (3) capacitive reactance remains constant
 - (4) capacitive reactance decreases.
- The minimum wavelength of X-rays 12 produced by an electron accelerated through a potential difference of V volts is proportional to:
 - (1) $\frac{1}{V}$
- (2) $\frac{1}{\sqrt{V}}$
- (3) V^2
- The venturi-meter works on: 13
 - (1) Bernoulli's principle
 - (2) The principle of parallel axes
 - (3) The principle of perpendicular axes
 - (4) Huygen's principle
- A full wave rectifier circuit consists of two 14 p-n junction diodes, a centre-tapped transformer, capacitor and a load resistance. Which of these components remove the ac ripple from the rectified output?
 - (1) p-n junction diodes
 - (2) Capacitor
 - (3) Load resistance
 - (4) A centre-tapped transformer

- A metal wire has mass (0.4 ± 0.002) g, radius (0.3 ± 0.001) mm and length (5 ± 0.02) cm. The maximum possible percentage error in the measurement of density will nearly be:
 - (1) 1.3%
- (2) 1.6%
- (3) 1.4%
- (4) 1.2%
- For Young's double slit experiment, two 16 statements are given below:


Statement I: If screen is moved away from the plane of slits, angular separation of the fringes remains constant.

Statement II: If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

In the light of the above statements, choose the correct answer from the options given

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II
- (4) Both Statement I and Statement II are true.
- The potential energy of a long spring when 17 stretched by 2 cm is U. If the spring is stretched by 8 cm, potential energy stored in it will be:
 - -41) 4U
- (2) 8U
- (3) 16U
- (4) 2U
- Light travels a distance x in time t_1 in air 18 and 10x in time t_2 in another denser medium. What is the critical angle for this medium?
 - (1) $\sin^{-1} \left(\frac{10 t_2}{t_1} \right)$ (2) $\sin^{-1} \left(\frac{t_1}{10 t_2} \right)$
 - (3) $\sin^{-1}\left(\frac{10\,t_1}{t_2}\right)$ (4) $\sin^{-1}\left(\frac{t_2}{t_1}\right)$

- 19 A 12 V, 60 W lamp is connected to the secondary of a step down transformer, whose primary is connected to ac mains of 220 V. Assuming the transformer to be ideal, what is the current in the primary winding?
 - (1) 2.7 A
- (2) 3.7 A
- (3) 0.37 A
- (4) 0.27 A
- 20 A football player is moving southward and suddenly turns eastward with the same speed to avoid an opponent. The force that acts on the player while turning is:
 - (1) along northward
 - (2) along north-east
 - (3) along south-west
 - (4) along eastward
- The magnitude and direction of the current in the following circuit is




- (1) 0.5 A from A to B through E
- (2) $\frac{5}{9}$ A from A to B through E
- (3) 1.5 A from B to A through E.
- (4) 0.2 A from B to A through E
- The angular acceleration of a body, moving along the circumference of a circle, is:
 - (1) along the radius towards the centre
 - (2) along the tangent to its position
 - (3) along the axis of rotation
 - (4) along the radius, away from centre
- F1_English]

A bullet is fired from a gun at the speed of 280 m s⁻¹ in the direction 30° above the horizontal. The maximum height attained by

the bullet is $\left(g = 9.8 \text{ m s}^{-2}, \sin 30^{\circ} = 0.5\right)$:

- (1) 2000 m
- (2) 1000 m
- (3) 3000 m
- (4) 2800 m
- The net magnetic flux through any closed surface is:
 - (1) Positive
- (2) Infinity
- (3) Negative
- (4) Zero
- 25 The equivalent capacitance of the system shown in the following circuit is:



- (**μ**/ 3 μF
- (2) 6 μF
- (3) 9 μF
- (4) 2 μF
- A vehicle travels half the distance with speed
 and the remaining distance with speed
 2θ. Its average speed is:
 - $(1) \quad \frac{2\vartheta}{2}$
- $(2) \quad \frac{4\vartheta}{3}$
- $(3) \quad \frac{3\vartheta}{4}$
- $(4) \quad \frac{\vartheta}{3}$

- The half life of a radioactive substance is | 32 27 20 minutes. In how much time, the activity of substance drops to $\left(\frac{1}{16}\right)^{th}$ of its in: value?
 - (1) 40 minutes
- (2) 60 minutes
- (3) 80 minutes
- (4) 20 minutes
- The temperature of a gas is -50° C. To what 28 temperature the gas should be heated so that the rms speed is increased by 3 times?
 - (1) 3295° C
- (2) 3097 K
- (3) 223 K
- (4) 669° C
- A Carnot engine has an efficiency of 50% 29 when its source is at a temperature 327° C. The temperature of the sink is:
 - (1) 15° C
- (2) 100° C
- (3) 200° C
- (4) 27° C
- The magnetic energy stored in an inductor 30 of inductance 4 µH carrying a current of 2 A is:
 - (1) 4 mJ
- (2) 8 mJ
- (3) $8 \mu J$
- (4) 4 μJ
- 31 Let a wire be suspended from the ceiling (rigid support) and stretched by a weight W attached at its free end. The longitudinal stress at any point of cross-sectional area A of the wire is:
 - (1) W/A
- (2) W/2A
- (3) Zero
- $(4) \ 2W/A$
- F1_English |

- An electric dipole is placed at an angle of 30° with an electric field of intensity $2 \times 10^5 \,\mathrm{N}\,\mathrm{C}^{-1}$. It experiences a torque equal to 4 Nm. Calculate the magnitude of charge on the dipole, if the dipole length is 2 cm.
 - (1) 6 mC
- (2) 4 mC
- (3) '2 mC
- (4) 8 mC
- In hydrogen spectrum, the shortest 33 wavelength in the Balmer series is λ . The shortest wavelength in the Bracket series is:
 - (1) 4λ
- (2) 9λ
- (3) 16λ
- (4) 2λ
- 34 The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the same length is:
 - (1) 2:1
- (2) 1:3
- (3) 3:1
- (4) 1:2
- 35 Two bodies of mass m and 9m are placed at a distance R. The gravitational potential on the line joining the bodies where the gravitational field equals zero, will be (G = gravitational constant):
 - (1) $-\frac{12 \, Gm}{R}$ (2) $-\frac{16 \, Gm}{R}$
 - (3) $-\frac{20 \, Gm}{R}$ (4) $-\frac{8 \, Gm}{R}$

Physics: Section-B (Q. No. 36 to 50)

36 A bullet from a gun is fired on a rectangular wooden block with velocity u. When bullet travels 24 cm through the block along its length horizontally, velocity of bullet

> becomes $\frac{u}{3}$. Then it further penetrates into the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is:


- (1) 24 cm
- (2) 28 cm
- (3) 30 cm
- (4) 27 cm
- The radius of inner most orbit of hydrogen 37 atom is 5.3×10^{-11} m. What is the radius of third allowed orbit of hydrogen atom?
 - (1) 1.06 Å
 - (2) 1.59 Å
 - (3) 4.77 Å
- (4) 0.53 A
- Calculate the maximum acceleration of a 38 moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction between the body and the floor is 0.15 (g = 10 m s⁻²).

 - (1) $150 \,\mathrm{m \, s^{-2}}$ (2) $1.5 \,\mathrm{m \, s^{-2}}$


 - (3) $50 \,\mathrm{m \, s^{-2}}$ (4) $1.2 \,\mathrm{m \, s^{-2}}$
- 39 10 resistors, each of resistance R are connected in series to a battery of emf E and negligible internal resistance. Then those are connected in parallel to the same battery, the current is increased *n* times. The value of n is:
 - (1) 100
- (3) 1000
- (4) 10
- 40 A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity 4 m s⁻¹. The ball strikes the water surface after 4 s. The height of bridge above water
 - surface is (Take $g = 10 \text{ m s}^{-2}$):

 - (1) 60 m (2) 64 m
 - (3) 68 m
- (4) 56 m
- F1_English |

The net impedance of circuit (as show figure) will be:




- (1) 15 Ω
- (2) $5\sqrt{5} \Omega$
- (3) 25 Ω
- (4) $10\sqrt{2} \Omega$
- A satellite is orbiting just above the sur 42 of the earth with period T. If d is the de of the earth and \bar{G} is the universal cons of gravitation, the quantity $\frac{3\pi}{Gd}$ represe
 - (1) T^2
- $(2) T^3$
- $(3) \cdot \sqrt{T}$
- (4) *T*
- 43 Two thin lenses are of same focal len (f), but one is convex and the other concave. When they are placed in with each other, the equivalent foc of the combination will be:
 - (1) f/4
- (2) f/2
- (3) Infinite
- (4) Zero
- 44 For the following logic circuit, the truth is:




- (1) A
 - (2) B
- 1
- B0 1 0

A very long conducting wire is bent in a 45 semi-circular shape from A to B as shown in figure. The magnetic field at point P for steady current configuration is given by:



- (1) $\frac{\mu_0 i}{4R}$ pointed away from the page
- (2) $\frac{\mu_0 i}{4R} \left[1 \frac{2}{\pi} \right]$ pointed away from page
- (3) $\frac{\mu_0 i}{4R} \left[1 \frac{2}{\pi} \right]$ pointed into the page
- (4) $\frac{\mu_0 i}{4R}$ pointed into the page
- The resistance of platinum wire at 0°C is 46 2Ω and 6.8Ω at 80°C. The temperature coefficient of resistance of the wire is:

- (1) $3 \times 10^{-3} \text{ °C}^{-1}$ (2) $3 \times 10^{-2} \text{ °C}^{-1}$ (3) $3 \times 10^{-1} \text{ °C}^{-1}$ (4) $3 \times 10^{-4} \text{ °C}^{-1}$
- 47 An electric dipole is placed as shown in the figure.




The electric potential (in 10² V) at point P due to the dipole is $(\in_0 = permittivity of free$ space and $\frac{1}{4\pi \in \Omega} = K$):

- (1) $\left(\frac{5}{8}\right) qK$ (2) $\left(\frac{8}{5}\right) qK$
- (3) $\left(\frac{8}{3}\right) qK$ (4) $\left(\frac{3}{8}\right) qK$

F1_English]


In the figure shown here, what is the equivalent focal length of the combination of lenses (Assume that all layers are thin)?



- (1) 40 cm
- (2) 100 cm
- (3) 50 cm
- (4) 40 cm
- A wire carrying a current I along the positive 49 x-axis has length L. It is kept in a magnetic

field $\overrightarrow{B} = (2\hat{i} + 3\hat{j} - 4\hat{k})$ T. The magnitude of the magnetic force acting on the wire is:

- (1) $\sqrt{5} IL$
- (2) 5 IL
- (3) $\sqrt{3} IL$ (4) 3 IL
- 50 The x-t graph of a particle performing simple harmonic motion is shown in the figure. The acceleration of the particle at t=2 s is:



- (1) $-\frac{\pi^2}{8} \text{ m s}^{-2}$ (2) $\frac{\pi^2}{16} \text{ m s}^{-2}$
- (3) $-\frac{\pi^2}{16} \,\mathrm{m \, s^{-2}}$ (4) $\frac{\pi^2}{8} \,\mathrm{m \, s^{-2}}$


| Contd...


Chemistry: Section-A (Q. No. 51 to 85)


- The stability of Cu²⁺ is more than Cu⁺ salts in aqueous solution due to -
 - (1) enthalpy of atomization.
 - (2) hydration energy.
 - (3) second ionisation enthalpy
 - (4) first ionisation enthalpy.
- Which one is an example of heterogenous catalysis?
 - (1) Hydrolysis of sugar catalysed by H⁺ ions.
 - (2) Decomposition of ozone in presence of nitrogen monoxide.
 - (3) Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron.
- (4) Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen.
- F1_English |


8

Which amongst the following option correct graphical representation of B₀ Law?









[Cor

Given below are two statements: one is labelled as Assertion A and the other is 54 labelled as Reason R:

Assertion A: A reaction can have zero activation energy.

Reasons R: The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold

value, is called activation energy. Value, light of the above statements, choose In the light of the above statements, choose the correct answer from the options given

(1) Both A and R are true and R is NOT

the correct explanation of A. A is true but R is false.

(3) A is false but R is true. (4) Both A and R are true and R is the

correct explanation of A.

In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe3+ due to the formation of -

(1) NaSCN

(2)
$$\left[\text{Fe(CN)}_5 \text{ NOS} \right]^{4-}$$

(3)
$$\left[Fe(SCN) \right]^{2+}$$

(3)
$$[Fe(SCN)]$$

(4) $Fe_4[Fe(CN)_6]_3 \cdot xH_2O$

Consider the following reaction and identify 56 the product (P).

$$\begin{array}{c|c}
CH_3 - CH - CH - CH_3 \\
 & | & \\
 & CH_3 & OH
\end{array}$$

$$\begin{array}{c}
HBr \\
 & Product (P)
\end{array}$$

3 - Methylbutan - 2 - ol

- (1) $CH_3 CH = CH CH_3$
- (2) CH₃ CH CH CH₃ CH₃ Br
- (3) $CH_3 C CH_2 Br$ CH₃ Br (4) $CH_3 - C - CH_2 - CH_3$ CH,

F1_English]

- For a certain reaction, the rate = $k[A]^2[B]$, 57 when the initial concentration of A is tripled keeping concentration of B constant, the initial rate would
 - (1) increase by a factor of six.
 - (2) increase by a factor of nine.
 - (3) increase by a factor of three.
 - (4) decrease by a factor of nine.
- Match List I with List II: 58

List - II List - I

Coke

Carbon atoms are sp3 hybridised.

Diamond B.

Used as a dry lubricant III. Used as a

Fullerene

reducing agent Cage like IV. molecules

Graphite

Choose the correct answer from the options given below:

- (1) A-IV, B-I, C-II, D-III
- (2) A-III, B-I, C-IV, D-II
- A-III, B-IV, C-I, D-II
- (4) A-II, B-IV, C-I, D-III
- Which one of the following statements is 59 correct?
 - (1) All enzymes that utilise ATP in phosphate transfer require Ca as the cofactor.
 - (2) The bone in human body is an inert and unchanging substance.
 - (3) Mg plays roles in neuromuscular function and interneuronal transmission.
 - (4) The daily requirement of Mg and Ca in the human body is estimated to be 0.2 - 0.3 g.

- A compound is formed by two elements A and B. The element B forms cubic close packed structure and atoms of A occupy 1/3 of tetrahedral voids. If the formula of the compound is A_xB_y, then the value of x + y is in option
 - (1) 4
- (2) 3
- (3) 2
- (4) 5
- 61 Homoleptic complex from the following complexes is:
 - (1) Diamminechloridonitrito N platinum (II)
 - (2) Pentaamminecarbonatocobalt (III) chloride
 - (3) Triamminetriaquachromium (III) chloride
 - (4) Potassium trioxalatoaluminate (III)
- The correct order of energies of molecular orbitals of N₂ molecule, is:
 - (1) $\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z <$

$$(\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$$

(2) $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < \sigma 2p_z <$

$$\int_{0}^{\pi} \sigma^{*} 2p_{x} < (\pi 2p_{x} = \pi 2p_{y}) < (\pi^{*} 2p_{x} = \pi^{*} 2p_{y})$$

 $\sigma ls < \sigma^* ls < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi 2p_x = \pi 2p_y) < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi$

$$\int_{-\pi}^{\pi} (\pi^* 2p_x = \pi^* 2p_y) < \sigma 2p_z < \sigma^* 2p_z$$

(4) σ 1s $< \sigma^*$ 1s $< \sigma$ 2s $< \sigma^*$ 2s $< \left(\pi 2p_x = \pi 2p_y\right) <$

$$\sigma 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$$

- Taking stability as the factor, which one of the following represents correct relationship?
 - (1) $InI_3 > InI$
- (2) AlCl > AlCl₃
- (3) $TII > TII_3$
- (4) $TICl_3 > TICl$

64 Given below are two statements: a labelled as Assertion A and the ot labelled as Reason R:

Assertion A: Helium is used to oxygen in diving apparatus.

Reasons R: Helium has high solubin O_2 .

In the light of the above statements, of the **correct** answer from the options below:

- (1) Both A and R are true and R is the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R correct explanation of A.
- 65 Select the correct statements from following:
 - A. Atoms of all elements are compositivo fundamental particles.
 - B. The mass of the electron is 9.10939×10^{-31} kg.
 - C. All the isotopes of a given element same chemical properties.
 - Protons and electrons are collections known as nucleons.
 - E. Dalton's atomic theory, regarded atom as an ultimate particle of r

Choose the **correct** answer from the o given below:


- (1) C, D and E only
- (2) A and E only
- B, C and E only
- A, B and C only

F1_English]

- Which of the following statements are **NOT** correct?
 - A. Hydrogen is used to reduce heavy metal oxides to metals.
 - B. Heavy water is used to study reaction mechanism.
 - C. Hydrogen is used to make saturated fats from oils.
 - D. The H-H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any element.
 - E. Hydrogen reduces oxides of metals that are more active than iron.

Choose the **most appropriate** answer from the options given below:

- (1) B, D only
- A , B, (1, 11)
- (2) D, E only
- 1
- (3) A, B, C only
- (4) B, C, D, E only
- 67 The given compound





is an example of _____

- (1) aryl halide
- (2) allylic halide
- (3) vinylic halide
- (4) benzylic halide

Identify product (A) in the following reaction:

$$\xrightarrow{\text{Zn-Hg}}$$
 (A) + 2H₂O





- 69 The conductivity of centimolar solution of KCl at 25°C is 0.0210 ohm⁻¹ cm⁻¹ and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of cell constant is -
 - (1) 3.28 cm^{-1}
- (2) 1.26 cm⁻¹
- (3) 3.34 cm⁻¹
- (4) 1.34 cm⁻¹
- 70 Amongst the given options which of the following molecules / ion acts as a Lewis acid?
 - (1) H₂O
- (2) BF₃
- (3) OH-
- $(4) NH_3$

F1_English]

11

71 Given below are two statements: Statement 1: A unit formed by the attachment of a base to 1' position of sugar is known as nucleoside

Statement II: When nucleoside is linked to phosphorous acid at 5'-position of sugar moiety, we get nucleotide.

In the light of the above statements, choose the correct answer from the options given

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II is true.
- (4) Both Statement I and Statement II are true.
- The relation between n_m , $(n_m = the number of permissible values of magnetic quantum$ number (m)) for a given value of azimuthal quantum number (l), is

 - (1) $l = 2n_m + 1$ (2) $n_m = 2l^2 + 1$

 - (3) $n_m = l + 2$ (4) $l = \frac{n_m 1}{2}$
- Amongst the following, the total umber of species NOT having eight electrons around central atom in its outer most shell, is NH₃, AlCl₃, BeCl₂, CCl₄, PCl₅:
- (3) 1
- 74 Intermolecular forces are forces of attraction and repulsion between interacting particles that will include:
 - dipole dipole forces.
 - dipole induced dipole forces.
 - hydrogen bonding.
 - D. covalent bonding.
 - E. dispersion forces.

Choose the most appropriate answer from the options given below:

- (1) A, B, C, D are correct.
- (2) A, B, C, E are correct.
- (3) A, C, D, E are correct.
- (4) B, C, D, E are correct.

Given below are two statements: 75 labelled as Assertion A and the other labelled as Reason R:

Assertion A: Metallic sodium dissolve liquid ammonia giving a deep blue sol which is paramagnetic.

Reasons R: The deep blue solution i to the formation of amide.

In the light of the above statements, c the correct answer from the options below:

- (1) Both A and R are true but R is the correct explanation of A.
- \cdot (2) **A** is true but **R** is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R i correct explanation of A.
- 76 The element expected to form largest i achieve the nearest noble gas configur is:
 - (1) F
- (2) N
- (3) Na
- (4) O
- Some tranquilizers are listed below. 77 one from the following belon 'arbiturates?
 - (1) Meprobamate
 - (2) Valium
 - (3) Veronal
 - (4) Chlordiazepoxide
- 78 Given below are two statements: or labelled as Assertion A and the oth labelled as Reason R:

Assertion A: In equation $\Delta_r G = -nF$ value of $\Delta_r G$ depends on n.

Reasons R: E_{cell} is an intensive pro and $\Delta_r G$ is an extensive property.

In the light of the above statements, ch the correct answer from the options below:

- (1) Both A and R are true and R is 1 the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is correct explanation of A.

Which amongst the following molecules on polymerization produces neoprene? 79

(1)
$$H_2C = C - CH = CH_2$$

(2)
$$H_2C = CH - C \equiv CH$$

$$CH_3$$
|
(3) $H_2C = C - CH = CH_2$

(4)
$$H_2C = CH - CH = CH_2$$

Complete the following reaction:

$$\begin{array}{c}
 & OH \\
 & CN
\end{array}$$


$$\begin{array}{c}
 & CN \\
 & CN
\end{array}$$


$$\begin{array}{c}
 & CON \\
 & CN
\end{array}$$

$$\begin{array}{c}
 & CON \\
 & CN
\end{array}$$

[C] is

80






- Weight (g) of two moles of the organic 81 compound, which is obtained by heating sodium ethanoate with sodium hydroxide in presence of calcium oxide is:
 - (1) 32
- (2) 30
- (3) 18
- (4) 16

F1_English]

- Which of the following reactions will NOT give primary amine as the product?
 - (1) $CH_3CN \xrightarrow{(i) LiAIII_4} Product$
 - (2) $CH_3NC \xrightarrow{(i) LiAIII_4} Product$
 - (3) $CH_3CONH_2 \xrightarrow{\text{(i) LiAIII}_4} Product$
 - (4) $CH_3 CONH_2 \xrightarrow{Br_2 / KOH} Product$
- The **right** option for the mass of CO_2 produced by heating 20 g of 20% pure 83 limestone is (Atomic mass of Ca = 40)


$$\begin{bmatrix} \text{CaCO}_3 & \text{1200 K} \\ \text{CaCO}_3 & \text{2.64 s} \end{bmatrix}$$

- (1) 1.76 g
- (2) 2.64 g
- (3) 1.32 g
- (4) 1.12 g
- Identify the product in the following reaction: 84



MgBr





- The number of σ bonds, π bonds pair of electrons in π pair of electrons in pyridine. respectively (1) 12 3 0 85
 - (1) 12, 3, 0
- (3) 12, 2, 1

Contd...

13

- 95 Which complex compound is most stable?
 - (1) $\left[\operatorname{Co}\left(\operatorname{NH}_{3}\right)_{3}\left(\operatorname{NO}_{3}\right)_{3}\right]$
 - (2) $\left[\text{CoCl}_2(\text{en})_2\right]\text{NO}_3$
 - (3) $\left[\text{Co}(\text{NH}_3)_6 \right]_2 \left(\text{SO}_4 \right)_3$
 - (4) $\left[\text{Co}(\text{NH}_3)_4 (\text{H}_2\text{O}) \text{Br} \right] (\text{NO}_3)_2$
- 96 On balancing the given redox reaction,

$$a \operatorname{Cr}_2 O_7^{2-} + b \operatorname{SO}_3^{2-} (aq) + c \operatorname{H}^+ (aq) \rightarrow$$

2a
$$Cr^{3+}(aq) + b SO_4^{2-}(aq) + \frac{c}{2} H_2O(\ell)$$

the coefficients a, b and c are found to be, respectively -

- (1) 3, 8, 1
- (2) 1, 8, 3
- (3) 8, 1, 3
- (4) 1, 3, 8
- 97 Given below are two statements:

Statement I: The nutrient deficient water bodies lead to eutrophication.

Statement II: Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.

Identify the final product [D] obtained the following sequence of reactions.

$$CH_3CHO \xrightarrow{i) LiAIH_4} [A] \xrightarrow{H_2SO_4} [B]$$

$$\xrightarrow{\text{HBr}} [C] \xrightarrow{\text{Na/dry ether}} [D]$$

- (1)
- (2) C_4H_{10}
- (3) $HC \equiv C^{\Theta} Na^+$
- (4)
- 99 Pumice stone is an example of -
 - (1) gel
- (2) solid sol
- (3) foam
- (4) sol
- 100 Match List I with List II:

List - I (Oxoacids List - II (Bonds)
of Sulphur)

- A. Peroxodisul-
- I. Two S-OH, Four S=O
- phuric acid
- One S-O-S
- B. Sulphuric acid
- II. Two S-OH, One S=C
- C. Pyrosulphuric acid
- III. Two S-OH, Four S=O
- D. Sulphurous acid IV. Two S-OH, Two S=C Choose the **correct** answer from the option given below:
 - (1) A-III, B-IV, C-I, D-II
- (2) A-I, B-III, C-IV, D-II
- (3) A-III, B-IV, C-II, D-I
- (4) A-I, B-III, C-II, D-IV

F1_English]

16

	1		
	Botany: Section-A (Q. No. 101 to 135)		
101	Which hormone promotes internode/petiole	108	In the equation
	elongation in deep water rice?	100	
_	Kinetin (2) Ethylene		GPP - R = NPP
`	(3) 2, 4-D (4) GA ₃		GPP is Gross Primary Productivity
	(1) 5.13		NPP is Net Primary Productivity
102	Movement and accumulation of ions across		R here is
	a membrane against their concentration		Respiratory quotient
	gradient can be explained by		(2) Respiratory loss
	(1) Facilitated Diffusion		(3) Reproductive allocation
	(2) Passive Transport		(4) Photosynthetically active radiation
	(3) Active Transport		(4) Photosynthetically active runs
	(4) Osmosis		- traduce alien
	(4) Osmosis	109	In gene gun method used to introduce alien
103	Lami all Cl C		DNA into host cells, microparticles of
103	Large, colourful, fragrant flowers with nectar		metal are used.
	are seen in :		(Y) Zinc
	(1) bird pollinated plants		(2) Tungsten or gold
	(2) bat pollinated plants		(3) Silver
	(3) wind pollinated plants	6	(4) Copper
	(4) insect pollinated plants		(1) copper
101		110	The phenomenon of plaintrapiem refers to
104	In tissue culture experiments, leaf mesophyll	110	1
MA	cells are put in a culture medium to form		(1) presence of two alleles, each of the two
Mer	callus. This phenomenon may be called as -		genes controlling a single trait.
11	(1) Dedifferentiation		(2) a single gene affecting multiple
	(2) Development		phenotypic expression.
	(3) Senescence		(3) more than two genes affecting a single
	(4) Differentiation		character.
	\ I F A I		(4) presence of several alleles of a single
105	The historic Convention on Biological		gene controlling a single crossover.
	Diversity, 'The Earth Summit' was held in		gone controlling a single crossover.
	Rio de Janeiro in the year :	11	1 Given below one two states
	(1) 1992 (2) 1986	11	statements . One is
	(3) 2002 (4) 1985		labelled as Assertion A and the other is
			labelled as Reason R:
106	During the purification process for	.	Assertion A: Late wood has fewer xylary
	recombinant DNA technology, addition of		elements with narrow vessels.
	chilled ethanol precipitates out		Reason R: Cambium is less active in
			winters.
	(1) DNA (2) Histones	1	
	(3) Polysaccharides (4) RNA	1.	In the light of the above statements, choose
			the correct answer from the options given
107	How many ATP and NADPH2 are required	i -	below:
	for the synthesis of one molecule of Glucose	e	(1) Both A and R are true but R is NOT
	during Calvin cycle?		the correct explanation of A.
	(1) 18 ATP and 12 NADPH ₂		(2) A is true but R is false.
	(2) 12 ATP and 16 NADPH ₂		AND C
			(3) A is false but R is true.
	(3) 18 ATP and 16 NADPH ₂		(4) Both \mathbf{A} and \mathbf{R} are true and \mathbf{R} is the
	(4) 12 ATP and 12 NADPH ₂		correct explanation of A.
F1_English]		17	Contd

- 112 Among eukaryotes, replication of DNA takes place in -
 - (1) S phase
- (2) Q_1 phase
- (3) G_2 phase
- (4) M phase
- 113 Family Fabaceae differs from Solanaceae and Liliaceae. With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.
 - (1) Polyadelphous and epipetalous stamens
 - (2) Monoadelphous and Monothecous anthers
 - (3) Epiphyllous and Dithecous anthers
 - (4) Diadelphous and Dithecous anthers
- 114 Axile placentation is observed in
 - (1) China rose, Beans and Lupin
 - (2) Tomato, Dianthus and Pea
 - (3) China rose, Petunia and Lemon
 - (4) Mustard, Cucumber and Primrose
- 115 Identify the pair of heterosporous pteridophytes among the following:
 - (1) Selaginella and Salvinia
 - (2) Psilotum and Salvinia
 - (3) Equisetum and Salvinia
 - (4) Lycopodium and Selaginella
- 116 The thickness of ozone in a column of air in the atmosphere is measured in terms of:
 - (1) Decibels
- (2) Decameter
- (3) Kilobase
- (4) Dobson units
- 117 What is the function of tassels in the corn cob?
 - (1) To trap pollen grains
 - (2) To disperse pollen grains
 - (3) To protect seeds
 - (4) To attract insects

labelled as **Reason R**:

Assertion A: The first stage of gametopling in the life cycle of moss is protonema stage.

Reason R: Protonema develops direction.

from spores produced in capsule.

In the light of the above statements, cho

In the light of the above statements, the the most appropriate answer from options given below:

(1) Both A and R are correct but R is N the correct explanation of A.

- (2) A is correct but R is not correct.
- (3) A is not correct but R is correct.
- (4) Both A and R are correct and R is correct explanation of A.
- 119 Given below are two statements:

 Statement I: The forces generated transpiration can lift a xylem-sized colt of water over 130 meters height.

 Statement II: Transpiration consurfaces sometimes 10 to 15 degree evaporative cooling.

 In the light of the above statements, che the most appropriate answer from
 - options given below:
 (1) Both Statement I and Statement I are incorrect.
 - (2) Statement I is correct but Statement II is incorrect.
 - (3) Statement I is incorrect but Statement II is correct.
 - (4) Both Statement I and Statement I are correct.
- 120 Spraying of which of the follow phytohormone on juvenile conifers help; hastening the maturity period, that leads early seed production?
 - (1) Gibberellic Acid
 - (2) Zeatin
 - (3) Abscisic Acid
 - (4) Indole-3-butyric Acid

F1_English]

18

Conta

- 121 Frequency of recombination between gene pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by
 - (1) Sutton and Boveri
 - (2) Alfred Sturtevant
 - (3) Henking
 - (4) Thomas Hunt Morgan
- 122 Expressed Sequence Tags (ESTs) refers to
 - (1) All genes that are expressed as proteins.
 - (2) All genes whether expressed or unexpressed.
 - (3) Certain important expressed genes.
 - (4) All genes that are expressed as RNA.
- 123 Upon exposure to UV radiation, DNA stained with ethidium bromide will show
 - (1) Bright blue colour
 - (2) Bright yellow colour
 - (3) Bright orange colour
 - (4) Bright red colour
- Given below are two statements: One is labelled as Assertion A and the other is labelled as Reason R:

Assertion A: ATP is used at two steps in glycolysis.

Reason R: First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6phosphate into fructose-1-6-diphosphate.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.
- 125 Unequivocal proof that DNA is the genetic material was first proposed by
 - (1) Alfred Hershey and Martha Chase
 - Avery, Macleoid and McCarthy
 - (3) Wilkins and Franklin
 - (4) Frederick Griffith

- 126 Identify the correct statements:
 - A. Detrivores perform fragmentation.
 - The humus is further degraded by some microbes during mineralization.
 - C. Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
 - D. The detritus food chain begins with living organisms.
 - Earthworms break down detritus into smaller particles by a process called catabolism.

Choose the **correct** answer from the options given below:

- (1) B, C, D only (2) C, D, E only
- (3) D, E, A only (4) A, B, C only
- 127 The reaction centre in PS II has an absorption maxima at
 - (1) 700 nm
- (2) 660 nm
- (3) 780 nm
- (4) 680 nm
- In angiosperm, the haploid, diploid and 128 triploid structures of a fertilized embryo sac sequentially are:
 - (1) Antipodals, synergids, and primary endosperm nucleus
 - (2) Synergids, Zygote and Primary endosperm nucleus
 - (3) Synergids, antipodals and Polar nuclei
 - (4) Synergids, Primary endosperm nucleus and zygote
- Which micronutrient is required for splitting 129 of water molecule during photosynthesis?

 - (1) molybdenum (2) magnesium
 - (3) copper
- (4) manganese
- Which of the following stages of meiosis 130 involves division of centromere?

 - (1) Metaphase II (2) Anaphase II
 - (3) Telophase
- (4) Metaphase I

F1 English]

19

- 131 Cellulose does not form blue colour with Iodine because
 - (1) It is a helical molecule.
 - (2) It does not contain complex helices and hence cannot hold iodine molecules.
 - (3) It breakes down when iodine reacts with it.
 - (4) It is a disaccharide.
- Among 'The Evil Quartet', which one is considered the most important cause driving extinction of species?
 - (1) Over exploitation for economic gain
 - (2) Alien species invasions
 - (3) Co-extinctions
 - (4) Habitat loss and fragmentation
- 133 What is the role of RNA polymerase III in the process of transcription in Eukaryotes?
 - (1) Transcription of tRNA, 5 srRNA and snRNA
 - (2) Transcription of precursor of mRNA
 - (3) Transcription of only snRNAs
 - (4) Transcription of rRNAs (28S, 18S and 5.8S)
- 134 Given below are two statements:

 Statement I: Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.

 Statement II: Exarch condition is the most common feature of the root system.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.
- 135 The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?
 - (4) Pachytene
- (2) Diplotene
- (3) Diakinesis
- (4) Zygotene

F1_English]

20

Botany: Section-B (Q. No. 136 to 150)

- 136 Given below are two statements: One labelled as Assertion A and the other labelled as Reason R:
 - Assertion A: In gymnosperms pollen grains are released from microsporangium and carried by air current Reason R: Air currents carry the pol grains to the mouth of the archegonia what the male gametes are discharged and pol tube is not formed.

In the light of the above statements, ch_{0i} the **correct** answer from the options gi_1 below:

- (1) Both A and R are true but R is Not the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is to correct explanation of A.
- Which one of the following statements **NOT** correct?
 - (1) Algal blooms caused by excess organic matter in water improve wat quality and promote fisheries.
 - (2) Water hyacinth grows abundantly eutrophic water bodies and leads to a imbalance in the ecosystem dynamof the water body.
 - (3) The amount of some toxic subsorting of industrial waste water increating the organisms at successive troplevels.
 - (4) The micro-organisms involved i biodegradation of organic matter in sewage polluted water body consume lot of oxygen causing the death o aquatic organisms.
- Which of the following combinations i required for chemiosmosis?
 - (1) membrane, proton pump, proton gradient, NADP synthase
 - (2) proton pump, electron gradient, ATP synthase
 - (3) proton pump, electron gradient, NADP synthase
 - (4) membrane, proton pump, proton gradient, ATP synthase

139 Match List I with List II:

	T. WILL	LIST	11 :
Α.	List I		List II
Α.	M Phase	I.	Proteins are
B.	G ₂ Phase	TT	synthesized
C.	Onica	II.	Inactive phase
٠.	Quiescent	III.	Interval between
	stage		mitosis and
			initiation of DNA
Б	_		replication

D. G₁ Phase IV. Equational division

Choose the correct answer from the options given below:

- (1) A-IV, B-II, C-I, D-III
- (2) A-IV, B-I, C-II, D-III
- (3) A-II, B-IV, C-I, D-III (4) A-III, B-II, C-IV, D-I
- 140 Match List I with List II:

List I List I (Interaction) A. Mutualism List II (Species A and B)

- B. Commensalism H. +(A), O(B) -(A), O(B)
- C. Amensalism W. +(A), -(B)D. Parasitism W. +(A), +(B)

Choose the **correct** answer from the options given below:

- (1) A-IV, B-I, C-II, D-III (2) A-IV, B-III, C-I, D-II
- (3) A-III, B-I, C-IV, D-II
- (4) A-IV, B-II, C-I, D-III

141 Given below are two statements:

Statement I: Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist indefinitely and competitively inferior one will be eliminated eventually.

Statement II: In general, carnivores are more adversely affected by competition than herbivores.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I is incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.

142 Match List I with List II:

List I		List II
A. Iron	I.	Synthesis of auxin
B. Zinc	II.	Component of
C. Boron D. Molybdenum		nitrate reductase Activator of catalase Cell elongation and
		differentiation

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-I, C-IV, D-II
- (3) A-II, B-IV, C-I, D-III
- (4) A-III, B-II, C-I, D-IV
- Which of the following statements are correct about Klinefelter's Syndrome?
 - A. This disorder was first described by Langdon Down (1866).
 - B. Such an individual has overall masculine development. However, the feminine development is also expressed.
 - XC. The affected individual is short statured.
 - D. Physical, psychomotor and mental development is retarded.
 - E. Such individuals are sterile.

Choose the **correct** answer from the options given below:

C and D only B and E only
A and E only (A) A and B only

144 Identify the correct statements:

- A. Lenticels are the lens-shaped openings permitting the exchange of cases.
- B. Bark formed early in the season is called hard bark.
- C. Bark is a technical term that refers to all tissues exterior to vascular cambium.
- D. Bark refers to periderm and secondary phloem.
- E. Phellogen is single-layered in thickness. Choose the correct answer from the options given below:
- (1) A and D only
- (2) A, B and D only
- (3) B and C only
- (4) B, C and E only

F1_English]

21

- 145 How many different proteins does the ribosome consist of?
 - (1) 60
- (2) 40
- (3) 20
- (4) 80
- 146 Melonate inhibits the growth of pathogenic bacteria by inhibiting the activity of
 - (1) Amylase
 - (2) Lipase
 - (3) Dinitrogenase
 - (4) Succinic dehydrogenase
- 147 Match List I with List II:

List I

List II

- A. Cohesion
- More attraction in liquid phase
- B. Adhesion
- II. Mutual attraction among water molecules
- C. Surface tension
- III. Water loss in liquid phase
- D. Guttation
- IV. Attraction towards polar surfaces

Choose the correct answer from the options given below:

- (1) A-IV, B-III, C-II, D-I
- (2) A-III, B-I, C-IV, D-II
- (2) A-II, B-I, C-IV, D-III
- (4) A-II, B-IV, C-I, D-III
- 148 Match List I with List II:

List I

List II

- A. Oxidative decarboxylation
- J. Citrate synthase II. Pyruvate
- B. Glycolysis
- dehydrogenase
- C. Oxidative phosphorylation
- NJ. Electron transport system IV. EMP pathway
- D. Tricarboxylic acid cycle

swer from the ontions

Choose the correct answer from the options given below:

- (1) A-II, B-IV, C-I, D-III
- (2) A-III, B-I, C-II, D-IV
- (3) A-II, B-IV, C-III, D-I
- (4) A-III, B-IV, C-II, D-I

149 Given below are two statements: One labelled as Assertion A and the other labelled as Reason R:

Assertion A: A flower is defined as modification shoot wherein the shoot apical meriste changes to floral meristem.

Reason R: Internode of the shoot ge condensed to produce different flor appendages laterally at successive node instead of leaves.

In the light of the above statements, choose the **correct** answer from the options give below:

- (1) Both A and R are true but R is NO the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R correct explanation of A.
- DNA are given below. Arrange these step in a correct sequence.
 - A. Insertion of recombinant DNA into the host cell.
 - B. Cutting of DNA at specific location be restriction enzyme.
 - C. Isolation of desired DNA fragment.
 - D. Amplification of gene of interest usin PCR.

Choose the correct answer from the option given below:

- (L) C, A, B, D
- (2) C, B, D, A
- (3) B, D, A, C
- (4) B, C, D, A

F1_English |

22

[Contd.

Which of the following statements are Q. No. 151 to 185)

correct regarding female reproductive cycle? An non-primate mammals cyclical changes during reproduction are called

First menstrual cycle begins at puberty

C. Lack of menstruation may be indicative

Cyclic menstruation extends between menarche and menopause.

Choose the most appropriate answer from

MA and B only

A, B and C only

(3) A, C and D only

A and D only

Given below are two statements: one is 152 labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.

Reason R: Ban on amniocentesis checks increasing menace of female foeticide.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both A and R are true and R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true. (4) Both A and R are true and R is the
- correct explanation of A.

153 Match List I with List II.

List I (Interacting species)

List II * (Name of Interaction)

A. A Leopard and a Lion in a forest/ grassland

Competition

B. A Cuckoo laying egg in a Crow's nest

Brood parasitism III. Mutualism

C. Fungi and root of a higher plant in Mycorrtizae

IV. Commensalism

D. A cattle egret and

a Cattle in a field Choose the **correct** answer from the options given below:

(1) A-I, B-II, C-IV, D-III

(2) A-III, B-IV, C-I, D-II

(3) A-II, B-III, C-I, D-IV

(4) A-I, B-II, C-III, D-IV

154 Vital capacity of lung is

(1) IRV + ERV + TV + RV

(2) IRV + ERV + TV - RV

(3) IRV + ERV + TV

(4) IRV + ERV

155 Which one of the following common sexually transmitted diseases is completely curable when detected early and treated properly?

(1) Gonorrhoea

(2) Hepatitis-B

List II

Kidney

(3) HIV Infection (4) Genital herpes

156 Match List I with List II.

List I CCK. В. GIP -

Heart C. ANF III. Gastric gland D. ADH IV. Pancreas

Choose the correct answer from the options given below:

(1) A-III, B-II, C-IV, D-I

(2) A-II, B-IV, C-I, D-III

(3) A-IV, B-II, C-III, D-I

(4) A-IV, B-III, C-II, D-I

23

Contd...

F1_English]

157 Match List I with List II. List II List I

🖊 Haemophilus influenzae A. Ringworm I.

B. Filariasis

M. Trichophyton M. Wuchereria bancrofti

C. Malaria 🥆 D. Pneumonia IV. Plasmodium vivax

Choose the **correct** answer from the options given below:

(1) A-II, B-III, C-I, D-IV A-III, B-II, C-I, D-IV A-III, B-II, C-IV, D-I

(👀 A-II, B-III, C-IV, D-I

158 Match List I with List II. List II List I

A. P-wave

Beginning of systole

B. Q - wave

II. Repolarisation of ventricles

C. QRS complex III. Depolarisation of atria

D. T-wave

IV. Depolarisation of ventricles

Choose the correct answer from the options given below:

(1) A-IV, B-III, C-II, D-I

(2) A-II, B-IV, C-I, D-III

(3) A-I, B-II, C-III, D-IV

(4) A-III, B-I, C-IV, D-II

In which blood corpuscles, the HIV 159 undergoes replication and produces progeny viruses?

B-lymphocytes (2) Basophils

(3) Eosinophils

(4) T_H cells

160 Given below are two statements:

Statement I: Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by

Statement II: When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor. In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I is false but Statement II
- (4) Both Statement I and Statement II are true.

Given below are two statements: Statement I: Ligaments are dense irregular tissue.

Statement II: Cartilage is dense regular tissue.

In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II , is false.
- (3) Statement I is false but Statement II
- (4) Both Statement I and Statement II are true.
- Which of the following are NOT considered 162 as the part of endomembrane system?

A. Mitochondria B. Endoplasmic

Reticulum Chloroplasts D. Golgi complex

Peroxisomes

Choose the most appropriate answer from the options given below:

- (1) A, G and E only
- (2) A and D only
- (3) A, D and E only
- (4) B and D only
- Given below are two statements:

Statement I: A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal)

Statement II: Adult human haemoglobin, consists of 4 subunits (two subunits of α type and two subunits of β type.)

In the light of the above statements, choose the correct answer from the options given below:[○])

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II
- (3) Statement I is false but Statement II
- (4) Both Statement I and Statement II are true.

1 English]

24

| Contd...

64	Broad palm with single		
	in a person suffering from- (1) Turner's syndrome		
	(1) Turner's syndrome (2) Klinefolter.	168	Given below are two statements:
	(2) Klinefelter's syndrome (3) Thalassemia		Statement I: Vas deferens receives a duct
	(3) Thalassemia		
			from seminal vesicle and opens into urethra
4	(4) Down's syndrome		as the ejaculatory duct.
65	Which of a car		Statement II: The cavity of the cervix is
0.5	Which of the following statements is correct?		called cervical canal which along with vagina
1	Biomagnification refers (b) is correct?		forms birth canal.
	Concentration and increase in		
MA N	Successive trans.		In the light of the above statements, choose
	(2) Presence of large on		the correct answer from the options given
	(2) Presence of large amount of nutrients in water restricts 'Algal Di		below:
	(3) Algal Bloom door "Bal Bloom"		(1) Poth Statement I and Statement II
	(4) Eutrophication referrish mortality	h	(1) Both Statement I and Statement II
	(4) Eutrophication refers to increase in domestic sewage and what		are false.
			(2) Statement I is correct but
	lakes.		Statement II is false.
5	0		
	Match List I with List II.		(3) Statement I incorrect but Statement II
	List I		is true.
N	1. Iaenia I Nephridia	0 0	(4) Both Statement I and Statement II
	B. Paramoecium II. Contractile vacuole		are true.
	i cipiuneia a li Florada a 11	1) - 11,	
	D. Pheretima VV. Urecose gland	1.00	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c
	Choose the correct answer from the options	169	Radial symmetry is NOT found in adults of
	give below:		phylum
	A-I, B-II, C-IV, D-III	Ш	(1) Hemichordata (2) Coelenterata
	(2) A-III, B-II, C-IV, D-II		
	(3) A-II, B-I, C-IV, D-III		(3) Echinodermata (4) Ctenophora
	(4) A-I, B-II, C-III, D-IV	\RI	NING /
	5. (7)	170	Match List I with List II.
67	Given below are true	1 34	List I List II
	die two statements:		
	Statement I: Electrostatic precipitator is	1	
	most widely used in thermal power plant.		A. Peptic cells Mucus
	Statement II: Electrostatic precipitator in	,]	B. Goblet cells II. Bile juice
	thermal power plant removes ionising		C. Oxyntic cells III. Proenzyme pepsinogen
-16	radiations	i	
	In the light of the above statements, choose	1	D. Hepatic cells W. HCl and intrinsic factor
	the most appropriate answer from the	18.	for absorption of
	options given below:	6.2	vitamin B ₁₂
	(1) Both Statement I and Statement II	e Tradi	Choose the correct answer from the options
	are incorrect.		given below:
	(2) Statement I is correct but		
	Statement II is incorrect.		(1) A-II, B-I, C-III, D-IV
	(3) Statement I incorrect but Statement II		(2) A-III, B-I, C-IV, D-II
	is correct.	2	(3) A-II, B-IV, C-I, D-III
	(4) Both Statement I and Statement II		
	are correct.	4,	(4) A-IV, B-III, C-II, D-I
	2	5	I Cantal
F1_	English]	3	[Contd

171 Match List I with List II with respect to human eye.

List I List II A. Fovea Visible coloured portion of eye that regulates diameter of pupil. B. Iris External layer of eye formed of dense connective tissue. C. Blind spot III. Point of greatest visual acdity or resolution. D. Sclera Point where optic nerve eaves the eyeball and photoreceptor cells are absent.

Choose the correct answer from the options given below:

A-IV, B-III, C-II, D-I

A-I, B-IV, C-III, D-II

(3) A-II, B-I, C-III, D-IV

(A) A-III, B-I, C-IV, D-II

- Which of the following functions is carried out by cytoskeleton in a cell?
 - (1) Protein synthesis
 - (2) Motility
 - (3) Transportation
 - (4) Nuclear division
- 173 Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by-
 - (1) Ileo caecal valve
 - (2) Gastro oesophageal sphincter
 - (3) Pyloric sphincter
 - (4) Sphincter of Oddi

174 Match List I with List II.

List I

A. Vasectomy J. Oral method
B. Coitus J. II. Barrier method

B. Coitus (interruptus

III. Surgical method

List II

C. Cervical exp D. Saheli

IV. Natural method

Choose the **correct** answer from the options given below:

ا-11 A-III, B-IV, C-II, D-I

- (2) A-II, B-III, C-I, D-IV
- (3) A-IV, B-II, C-I, D-III
- (4) A-III, B-I, C-IV, D-II

175 Match List I with List II.

List I

List II

(Type of Joint)

(Found between)

A. Cartilaginous I. Between flat

Joint skull bones

B. Ball and Socket Joint

Between adjacent

vertebrae in

vertebral column

Fibrous Joint VII. Between carpal

and metacarpal of

thumb

D. Saddle Joint

IV. Between

Humerus and

Pectoral girdle

Choose the **correct** answer from the options given below:

- (L) A-II, B-IV, C-I, D-III
- (2) A-I, B-IV, C-III, D-II
- (3) A-II, B-IV, C-III, D-I
- (4) A-III, B-I, C-II, D-IV

F1_English]

26

76 Given below are two statements:

Statement 1: RNA mutates at a faster rate. Statement II: Viruses having RNA genome and shorter life span mutate and evolve faster.


In the light of the above statements, choose the correct answer from the options given below:

- (1) Both Statement I and Statement II are false.
- (2) Statement I is true but Statement II is false.
- (3) Statement I false but Statement II is true.
- (4) Both Statement I and Statement II are true.
- Given below are two statements: 177

Statement I: In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid. Statement II: In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the correct answer from the options given

- (1) Both Statement I and Statement II are false.
- (2) Statement I is correct but Statement II is false.
- (3) Statement I incorrect but Statement II is true.
- (4) Both Statement I and Statement II are true.
- 178 Which one of the following symbols represents mating between relatives in human pedigree analysis?



F1 English]

- Select the correct group/set of Australian Marsupials exhibiting adaptive radiation. 179
 - (1) Numbat, Spotted cuscus, Flying phalanger
 - (2) Mole, Flying squirrel, Tasmanian tiger cat
 - (3) Lemur, Anteater, Wolf
 - (4) Tasmanian wolf, Bobcat, Marsupial mole
- Which of the following is not a cloning 180 vector?

YAC YAC

(2) pBR322

(3) Probe

(4) BAC

181 Match List I with List II.

List II List I Effect on A. Heroin cardiovascular system Slow down body function B. Marijuana II.

C. Cocaine III. Painkiller

D. Morphine IV. Interfere with transport of dopamine

Choose the correct answer from the options given below:

- (1) A-I, B-II, C-III, D-IV
- (2) A-IV, B-III, C-II, D-I
- (3) A-III, B-IV, C-I, D-II
- A-II, B-I, C-IV, D-III
- 182 Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?
 - (1) Serum and Urine analysis
 - (2) Polymerase Chain Reaction (PCR) technique
 - (3) Enzyme Linked Immuno-Sorbent Assay (ELISA) technique
 - (4) Recombinant DNA Technology

183 Given below are two statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Endometrium is necessary for implantation of blastocyst.

Reason R: In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.
- (4) Both A and R are true and R is the correct explanation of A.

I.

184 Match List I with List II.

List I

List II

- A. Gene 'a'
- β-galactosidase
- B. Gene 'y'
- II. Transacetylase
- C. Gene 'i'
- III. Permease
- D. Gene 'z' IV. Repressor protein Choose the **correct** answer from the options given below:
- (1) A-II, B-III, C-IV, D-I
- (2) A-III, B-IV, C-I, D-II
- (3) A-III, B-I, C-IV, D-II
- (4) A-II, B-I, C-IV, D-III
- 185 Given below are statements: one is labelled as Assertion A and the other is labelled as Reason R.

Assertion A: Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.

Reason R: Juxta medullary nephrons have short loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the **correct** answer from the options given below:

- (1) Both A and R are true but R is NOT the correct explanation of A.
- (2) A is true but R is false.
- (3) A is false but R is true.

F1_English |

(4) Both A and R are true and R is the correct explanation of A.

Which of the following is characteristic feature of cockroach regarding sexual dimorphism?

Zoology: Section-B (Q. No. 186 to 200)

- (1) Presence of anal styles
- (2) Presence of sclerites
- (3) Presence of anal cerci
- (4) Dark brown body colour and anal cerci
- 187 Select the correct statements.
 - A. Tetrad formation is seen during Leptotene.
 - B. During Anaphase, the centromeres split and chromatids separate.
 - C. Terminalization takes place during Pachytene.
 - D. Nucleolus, Golgi complex and ER are reformed during Telophase.
 - E. Crossing over takes place between sister chromatids of homologous chromosome.

Che : the correct answer from the options gir : below:

- (1) B and D only
- (2) A, C and E only
- (3) B and E only
- (4) A and C only
- 188 Which of the following statements are correct?
 - A. An excessive loss of body fluid from the body switches off osmoreceptors.
 - B. ADH facilitates water reabsorption to prevent diuresis.
 - C. ANF causes vasodilation.
 - D. ADH causes increase in blood pressure.
 - E. ADH is responsible for decrease in GFR.

Choose the **correct** answer from the options given below:

- (1) B, C and D only
- (2) A, B and E only
- (3) C, D and E only
- (4) A and B only

28

- Given below are two statements: Statement I: During G₀ phase of cell cycle, the cell is metabolically inactive. Statement II: The centrosome undergoes duplication during S phase of interphase. In the light of the above statements, choose the most appropriate answer from the
 - (1) Both Statement I and Statement II
 - (2) Statement I is correct but Statement II is incorrect.
 - (3) Statement I is incorrect but Statement II is correct.
 - (4) Both Statement I and Statement II
- 190 Which one of the following is NOT an advantage of inbreeding?

(1) It exposes harmful recessive genes that are eliminated by selection.

- (2) Elimination of less desirable genes and accumulation of superior genes takes place due to it.
- (3) It decreases the productivity of inbred population, after continuous inbreeding.
- (4) It decreases homozygosity.

191 Match List I with List II. List I List II

- A. Logistic Unlimited resource availability condition growth
- VI. Limited resource B. Exponential availability condition growth
- III. The percent individuals C. Expanding of pre-reproductive age pyramid age is largest followed by reproductive and post reproductive age groups
- IV. The percent individuals D. Stable age of pre-reproductives pyramid and reproductive age group are same

Choose the correct answer from the options given below:

- (1) A-II, B-III, C-I, D-IV
- (2) A-II, B-IV, C-I, D-III
- (3) A-II, B-IV, C-III, D-I
- (4) A-II, B-I, C-III, D-IV

- 192 Which of the following are NOT under the control of thyroid hormone?
 - A. Maintenance of water and electrolyte balance
 - B. Regulation of basal metabolic rate
 - Normal rhythm of sleep-wake cycle
 - Development of immune system
 - Support the process of R.B.Cs formation Choose the correct answer from the options given below:
 - (1) B and C only (2) C and D only
 - (3) D and E only (4) A and D only
- 193 The unique mammalian characteristics are:
 - //hairs, pinna and mammary glands
 - hairs, pinna and indirect development
 - (3) pinna, monocondylic skull and mammary glands
 - (4) hairs, tympanic membrane mammary glands
- Which of the following statements are correct regarding skeletal muscle? 194
 - Muscle bundles are held together by collagenous connective tissue layer called fascicle.
 - Sarcoplasmic reticulum of muscle fibre is a store house of calcium ions.
 - Striated appearance of skeletal muscle fibre is due to distribution pattern of actin and myosin proteins.
 - D. M line is considered as functional unit of contraction called sarcomere.

Choose the most appropriate answer from the options given below:

- (1) B and C only
- (2) A, C and D only
- (3) C and D only
- (4) A, B and C only

[Contd...

29

F1_English]

- 195 Which of the following statements are | 198 Match List I with List II. correct?
 - Basophils are most abundant cells of the total WBCs
 - Basophils secrete histamine, serotonin and heparin
 - C. Basophils are involved in inflammatory response
 - D. Basophils have kidney shaped nucleus
 - Basophils are agranulocytes

Choose the correct answer from the options given below:

- (1) C and E only (2) B and C only
- (3) A and B only (4) D and E only
- 196 Which one of the following is the sequence on corresponding coding strand, if the sequence on mRNA formed is as follows
 - 5' AUCGAUCGAUCGAUCG AUCG AUCG 3'?
 - (1) 3' UAGCUAGCUAGCUAGCUA GCUAGCUAGC 5'
 - (2) 5' ATCGATCGATCGATCG ATCGATCG 3'
 - (3) 3' ATCGATCGATCGATCG ATCGATCG 5'
 - (4) 5' UAGCUAGCUAGCUA GCUAGC UAGC 3'
- 197 The parts of human brain that helps in regulation of sexual behaviour, expression of excitement, pleasure, rage, fear etc. are:
 - (1) Corpora quadrigemina & hippocampus
 - (2) Brain stem & epithalamus
 - (3) Corpus callosum and thalamus
 - (4) Limbic system & hypothalamus

List II

List I

Ciliated epithelium

A. Mast cells of bronchiole

Areolar connective tissue Cuboidal epithelium

III. C. Blood D. Tubular parts

IV. specialised connective tissue

Choose the correct answer from the options of nephron

give below:

A-II, B-III, C-I, D-IV

(2) A-II, B-I, C-IV, D-III

A-III, B-IV, C-II, D-I

(4) A-I, B-II, C-IV, D-III

- In cockroach, excretion is brought about by-199
 - Urecose gland В. A. Phallic gland
 - Fat body D. C. Nephrocytes
 - Collaterial glands

Choose the correct answer from the options given below:

- (1) A, B and E only
- (2) B, C and D only
- (3) B and D only
- (4) A and E only
- 200 Select the correct statements with reference to chordates.
 - A. Presence of a mid-dorsal, solid and double nerve cord.
 - B. Presence of closed circulatory system.
 - Presence of paired pharyngeal gillslits.
 - Presence of dorsal heart
 - Triploblastic pseudocoelomate animals. Choose the correct answer from the options given below:
 - (1) B and C only
 - (2) B, D and E only
 - (3) C, D and E only
 - (4) A, C and D only

F1 English]

30